



- Optical bonding
- 4K/Ultra HD resolution
- Anti-glare glass
- High-precision infra-red touch technology
- Fanless design
- OPS slot
- EasyFix mounting solutions
- Automatic brightness adjustment
- Low energy consumption

e-Screen STX touch monitor

STX-7550UHD black

- The displays in the STX range provide high-quality, razor-sharp images in Ultra-HD resolution, creating a perfectly sharp picture and allowing the display of up to 400% more data on your screen compared with a Full-HD display
- Enjoy perfect image quality and never miss a button or scroll bar when working on the screen. Optical-bonded display technology eliminates the airgap found in conventional touch screens resulting in a much brighter, clearer picture
- The multi-touch technology in the STX series can be used with any passive pointing device, such as a finger or the very thin, precision stylus. The optional driver also allows object recognition for Windows 10 computers
- The durable, ultra-slim design of the STX series creates a non-intrusive, minimalistic, professional design that will fit in any business environment
- The built-in automatic brightness sensor guarantees an excellent picture that's comfortable on the eye under all light conditions while significantly reducing energy consumption
- The advanced techniques used to build the display, combined with the use of cover glass just 2 mm thick, mean a 30%-weight reduction compared with conventional large-format touch displays


Recommended accessories

- e-Cleaner for e-Screen Ref.:7-121600
- Ergonomic stylus for e-Screen Ref.:7-192100
- Flipbox software license Ref.:7-197002
- e-Screen EHAXL column system for e-Screen 46-86inch Ref.:7-194262

Ref.: **7-801150-75**

EAN: **8713797087148**





1	Power
2	SPDIF
3	Audio out
4	IR extender
5	PC audio in
6	VGA (PC)
7	HDMI 2
8	HDMI 1
9	DisplayPort
10	Service USB port
11	Touch USB 2
12	Touch USB 1
13	RS232
14	Ethernet

Specifications

Colour	Black
Article dimensions	1771 x 1022 x 119 (mm)
Bezel size	27 mm
Viewing angle max	H: 178 ° / V: 178 °°
Size diagonal	75"
Brightness	350 cd/m ²
Contrast ratio	4000:1
Response time	8 ms
Supported colours	1.07 Billion
Display resolution / refresh rate	3840 x 2160 / 60 Hz
Input resolution / refresh rate	3840 x 2160 / 60 Hz
Ops slot	yes
Fanless design	yes
Display control	RS-232C, Keypad, IR remote controller, Ethernet
Automatic brightness adjustment	yes
Speaker	2x10W@4Ω
Power consumption / Standby	300 / 0.5 (Watt)
Durability / Lifespan	16/7 / - hours
Input connectors	HDMI 2.0 (2x), Display port 1.2, VGA, PC audio-in, IR extender
Output connectors	Audio-out, SPDIF audio-out
Touch technology	High Precision Advanced Infra-red
Touch operation	2mm passive stylus, Finger, Glove, Stylus, Palm
Number of touch points	20
Driver	Win: plug and play (optional driver) / Mac: driver
Sup. operating systems	Windows 10, Windows 8.1, Windows 8, Windows 7, Mac OSX
Package contents	e-Screen, Remote control unit, Quick setup guide, Power cable 1,8m, USB flash drive, EasyFix Cable Clips, HDMI cable, USB cable, IR extender, 2mm stylus
Product warranty	5 years

Logistics

Packing dimensions	275 x 1920 x 1150 (mm)
Weight (gross/net)	66.50 kg / 48.00 kg